



Revamp and enhance the checkout experience for seamless transactions



IHR-810 THERMAL RECEIPT PRINTER

Built for hassle-free printing experience

Manham You Mala a wara a

IMPACT by Honeywell 0 -





Accelerate your billing process, by reducing lag time and cutting back on long queues with the Honeywell IHR810. This sleek and reliable printer is one of the most compact, ideal for environments with space constraints. Added option to wall mount.

IHR-810 Key Features

- Speed: 260mm/sec
- Print head life: 150km
- Print width: 80mm
- Connectivity: USB + Serial + Lan

Printing	
Printing Method	Direct Thermal
Printing Width	80mm
Resolution	203 dpi
Printing Speed	260 mm/s
Interface	USB+Serial+Lan / Bluetooth / WiFi Optional
Printing Paper	79.5±0.5mm x ø80mm
Line Spacing	3.75mm (Adjustable by commands)
Printer Command	ESC/POS
Font	80mm paper : Font A - 42 columns or 48 columns/ Font B - 56 columns or 64 columns/
Character Size	ANK, Font A : 12x24 dots Font B : 9x17 dots
Barcode Character	
1D Code	UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODE39/ITF/CODABAR/CODE98 /CODE128
2D Code	QR Code / PDF417
Buffer	
Input Buffer	128 kb
NV Flash	256 kb
Power	
Power Adaptor	AC : 100-240V, 50~60Hz
Power Source	Output : DC 24V/2.5A
Cash Drawer Output	DC 24V/1A
Physical Characteristics	
Weight	1Kg
Dimensions (DxWxH)	190 x 140 x 135 mm
Environmental Requirements	
Work Environment	Temperature (0~45°C), Humidity (10~80%) (Non-Condensing)
Storage Environment	Temperature (-10~60°C), Humidity (10~90%)
Reliability	
Auto Cutter Life	1.5 million cuts
Printer Head Life	150KM
Driver	Win 9X / Win 2000 / Win 2003 / Win XP / Win 7 / Win 8 / Win 10 / Linux / MAC



UMD Support Team: Can help you with product set up, implementation and after sales support.

UMD Technical Team: Provides a range of services from repairs, spare parts, service agreements with our vendors and mobile device management (MDM).

UMD Solutions Team: Are able to design, deploy and maintain a customised solution for your unique requirements.